



Sistema Sensitive Flex Center

For those searching to experience a new dimension of relaxation. The system is activated by two electronic pushbuttons, one for the water hydromassage and another for the air hydromassage. They may be activated in combination or independently and their intensity can be regulated. it incluides a level sensor that avoids the incorrect use of the system.

FLEX CENTER

Sensitive Flex Center. Hydromassage Water+Air 180x100. "L" Left hand black skirting panel REF: 65591

gala

O

The FLEX CENTER bath in its Sensitive Flex Center version, combines the water massage with side and feet/lower back jets with the air massage of 12 bottom jets, letting you experiment a new dimension of relaxation.

Price includes metallic black side and front skirting panel

PVP:

REF. 65591

COLORES / ACABADOS 01 Blanco ARTÍCULOS Ref. Producto/Conjunto Medidas €/u 65591Bañera hidromasaje agua+aire, pulsador electrónico, regulador de intensidad, masajes agua y aire, sonda de nivel, jets lumbares/plantares.

INFORMACIÓN DE PRODUCTO

Características

Flex Center hydromassage water+air, electronic push-button, intensity control for water and air massages, water level indicator, 4 side jets, 6 lower back/feet jets and 12 bottom jets (air). With special "L" front or side black skirting panel . Left-hand. Información de utilidad

Gala baths may be purchased with or without skirting panel. The location of the hydromassage system facilitates the installation of the enclosure. The chassis is free-standing, enabling its installation with the least possible disruption. The disinfectant for hydromassage baths with automatic disinfection is available at Gala.

Garantía

Gala products are guaranteed against any manufacturing defects, from the date of purchase of the product, only if the installation has been carried out in accordance with Gala's installation instructions and, applying the current legislation on electrical and sanitary appliances, by authorised staff. The guarantee period for acrylic products is of 3 years. <u>Please check our product installation manuals.</u>

Certificaciones

High quality is a constant at Gala in order to guarantee the technical and aesthetic features as well as the performance of our products. Please check our product quality certificates.

Mantenimiento

Cleaning of the bath should be carried out using a soft sponge, soap and water. After cleaning, the bath should be dried so as to prevent limescale forming. No abrasive products, solvents or objects that could damage the bath surface should be used. Should the bath surface be scratched accidentally, it should be enough just to go over the surface with a solvent-free polish. If necessary, the scratch can first be wet-sanded with 800 G wet-and-dry sandpaper, then wet-sanded with 1200 G paper, before finally applying the polish.


SUGERENCIAS




AMBIENTE



DIBUJOS TÉCNICOS







DESCARGAS

2D

- 脑 🛛 132.41 KB 🚽 Sensitive Flex Center. Hydromassage Water+Air 180x100. "L" Left hand black skirting panel Técnico (.Al)
- Sensitive Flex Center. Hydromassage Water+Air 180x100. "L" Left hand black skirting panel Técnico (.DWG)
- 📃 2.64 MB 🚽 Sensitive Flex Center. Hydromassage Water+Air 180x100. "L" Left hand black skirting panel Técnico (.DXF)
- 134.26 KB Land Sensitive Flex Center. Hydromassage Water+Air 180x100. "L" Left hand black skirting panel Técnico (.PDF)